

## PSM41 SHIELDED POWER SUPPLY

### Instruction Manual

---


**PONTIS EMC Products** is a brand of  
Auido GmbH, Irrenloher Damm 30, 92521 Schwarzenfeld, Germany  
Phone: ++49 9435-5419-0 Fax: ++49 9435-5419-19

<https://pontis-emc.com>

## CONTENT

1. CONNECTIONS.....	3
2. PIN ASSIGNMENT.....	3
3. TECHNICAL SPECIFICATIONS.....	4


## 1. CONNECTIONS



- 1 Power supply connectors for camera and audio  
Connect camera and audio or 1–2 cameras
- 2 Power ok LEDs
- 3 On/Off switch
- 4 Mains plug connector  
Input: 85 – 264 V AC 50-60 Hz Max. 65 W

## 2. PIN ASSIGNMENT

### 5-pin receptacle (Female)



5-pin receptacle to power supply (male)

PIN		Colour
1	12V-DC	brown
2	12V-DC	white
3	GND	blue
4	GND	black
5	AUX	grey

### 3. TECHNICAL SPECIFICATIONS

Input	85 – 264 V AC 50–60 Hz
Output	2x 12 V DC / 2 A
Power	max. 65 W
Immunity	up to 200 V/m
External dimensions	20 x 12.5 x 8 cm (l x w x h)
Protection type:	IP40
Weight	approx. 1.2 Kg